



SAFETY DATA SHEET

1. Product and Company Identification

Product Name	ECO-ALL PURPOSE SPOTTER
Product Number	3BZ
Product Type	Mixture
Product Use	Spot remover for carpets & upholstery
Manufacturer	CFR, A Division of Tacony Corporation 3101 Wichita Court Fort Worth, TX 76140-1710
Company Contact	1-800-533-2557 or website www.cfrcorp.com
Emergency Telephone Number	1-800-270-5201

2. Hazards Identification

GHS Classification in accordance with 29CFR 1910 OSHA HCS

Skin corrosion/irritation, (Category 3) H316
Serious eye damage/eye irritation, (Category 2B) H320
Chronic aquatic toxicity, (Category 3) H412

GHS Label elements, including precautionary statements

Pictogram	None required
Signal Word	Warning
Hazard Statements	
H316	Causes mild skin irritation.
H320	Causes eye irritation.
H413	Harmful to aquatic life with long lasting effects.
Precautionary Statements	
Prevention	
P264	Wash and rinse hands and exposed skin after handling concentrated product.
P273	Avoid release to the environment.
Response	
P332+P313	If skin irritation occurs, get medical attention.
P305+P351+P338	IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists, get medical attention.
Storage/Disposal	
P501	Dispose of contents/container in accordance with local, regional and federal regulations

3. Composition/Information on Ingredients

The criteria for listing components in this section are: Ingredients that meet the criteria for carcinogenic, toxic to reproduction, or specific target organ toxicity and components otherwise considered hazardous according to OSHA which exceed the cut off limits for SDS specified by the criteria for mixtures are listed. Non hazardous components are not listed. This is not a composition disclosure. Exact percentages are considered proprietary and a trade secret.



Hazardous Components	CAS#	Classification	%
Alcohols, C9-C11, ethoxylated	68439-46-3	H302, H316, H320, H412	1-8%
Propylene glycol n butyl ether	5131-66-8	H226, H303, H316, H320	1-3%
Diethylene glycol n butyl ether	112-34-5	H319,	1-2%
Dipropylene glycol monomethyl ether	34590-94-8	H227	1-2%

4. First Aid Measures

Description of First Aid Procedures

In case of Eye Contact	Flush with cool running water for 15 minutes. If irritation persists, get medical attention.
In case of Skin Contact	Flush with cool water, Wash with soap and water, If irritation persists, get medical Attention.
If Inhaled	If symptoms develop, move to fresh air. If symptoms persist, get medical attention
If Ingested	Rinse mouth with water. Drink one or two glasses of water. Do not induce vomiting. Obtain medical attention. Never give anything by mouth to an unconscious person.
.Notes to Physician	Symptoms may be delayed.
General advice	Seek medical attention if feeling unwell. Show the SDS to the physician in attendance.

5. Fire-fighting Measures

Flammable properties	Not flammable
Extinguishing media	Treat for surrounding material.
Protection of firefighters	Firefighters should wear protective clothing including self contained breathing apparatus
Hazardous combustion products	May include and not limited to oxides of carbon, nitrogen, and oxides of sulfur.
Unusual Fire, Explosion hazards	None known.

6. Accidental Release Measures

Personal precautions	Keep unnecessary personal away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled containers unless wearing protective Clothing. Stay upwind of spills or leaks.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers.
Methods for cleaning up	Before attempting clean up refer to hazard data given above. Small spills may be absorbed with non reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or water ways. Dike spill. Absorb spill with non reactive absorbent and place in a suitable, covered, labeled container for disposal. Never return spill to original container for reuse.
Environmental Precautions	Avoid release to the environment.

7. Handling and Storage

Precautions for Safe Handling	Use good industrial hygiene practices when handling this material
Conditions for Safe Storage	Keep out of reach of children. Keep from freezing, store in a cool dry place away from incompatible materials.

8. Exposure Controls and Personal Protection

Exposure limits

Ingredients	CAS-No	OSHA PEL	ACGIH TLV
Alcohols, C9-C11, ethoxylated,	68439-46-3	Not available	Not available
Propylene glycol n butyl ether	5131-66-8	Not available	Not available
Diethylene glycol n butyl ether	112-34-5	10ppm TWA	Not available
Dipropylene glycol monomethyl ether	34590-94-8	Not available	TWA: 100 ppm

Engineering controls

General ventilation normally adequate

Personal protective equipment

Eye/Face protection

Wear safety glasses with side shields if splash conditions exist.

Hand protection

Rubber or nitrile gloves.

Skin and body

As required by employer code.

Respiratory protection

Use a NIOSH approved respirator when exposure guidelines are exceeded.

General hygiene considerations

Handle in accordance with good industrial hygiene practices. Do not eat or drink when using product. Wash hands well before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance/form	Clear liquid
Color	Light amber to colorless
Odor	Slight solvent
Odor threshold	Not established
pH	4.6-5.0 (Concentrate)
Melting point/freezing point	Not established
Initial Boiling point	> 212° F. (100° C.)
Flash point	> 200° F. (93° C.) Estimated from similar product
Evaporation rate	Not established
Flammability	Not flammable
Upper/lower flammability or Explosive limits	Not established
Vapor pressure	Not established
Vapor density	Not established
Specific gravity/density	0.95-1.05
Solubility in water	Disperses
Partition coefficient:	Not established
Auto ignition temperature	Not established
Decomposition temperature	Not established
Stability and Reactivity	Stable and non reactive under normal use and storage conditions.
VOC	< 3%
% Volatile	Approx. 93%

Other safety Information

10. Stability and Reactivity

Reactivity	Not reactive under normal use and storage.
Chemical Stability	Stable under normal storage conditions.
Hazardous reactions	None known.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Strong acids and oxidizers.
Hazardous decomposition products	May include but not limited to oxides of carbon, nitrogen, and oxides of sulfur.
Hazardous polymerization	Will not occur.

11. Toxicological Information

Ingredients	LC50
Alcohols,C9-C11, ethoxylated	No data available
Propylene glycol n-butyl ether	No data available
Diethylene glycol n butyl ether	No data available
Dipropylene glycol monomethyl ether	No data available
Ingredients	LD50
Alcohols,C9-C11, ethoxylated	1400 mg/kg (Oral-rat), > 5000mg/kg (Dermal-rat)
2-Propanol, 1-butoxy	2940 mf/kg (Oral-rat), 1340 mg/kg (Dermal-rabbit)
Diethylene glycol n butyl ether	5660 mg/kg (Oral-rat), 2700 mg/kg (Dermal-rabbit)
	Draize test, rabbit, eye: 20 mg/24 hour Moderate
	Draize test, rabbit, eye: 20 mg Severe
Dipropylene glycol monomethyl ether	5,152 mg/kg (Oral-rat) Dermal, No data available
Effects of acute exposure	
Eye	Causes eye irritation
Skin	Causes mild irritation.
Inhalation	Not expected to be an irritant to the respiratory tract.
Ingestion	Not expected to be harmful upon ingestion.
Sensitization	No data available.
Chronic effects of short and long term exposure	Prolonged exposure to skin may cause drying, defatting and irritation.
Carcinogenicity	.
Mutagenicity	Does not contain ingredients considered carcinogenic by NTP, IARC, or OSHA.
Reproductive effects	No data available.
Teratogenicity	No data available.

12. Ecological Information

Eco-toxicity	Components of this product have been identified as toxic with long lasting effects to the aquatic environmental.	
Environmental effects	No data available.	
Aquatic toxicity		
Alcohols,C9-C11, ethoxylated	LC50 Fish (fathead minnow): 6mg/l 96 hours	EC50 Daphnia: 2.5mg/l 48 hours
	EC50 Algae: 0.95 mg/l	
Propylene glycol n butyl ether	LC50 Fish (Poecilia reticulata): 560-1,000 mg/l 96 hours	EC50 Daphnia magna: > 1,000 mg/l 48 hour
Diethylene glycol n butyl ether	LC50 Fish: 1300 mg/l 96 hours	EC50 Daphnia: > 100 mg/l 48 hours
	EC50 Algae: > 100 mg/l 96 hours	
Dipropylene glycol monomethyl ether	LC50 Fish (fathead minnow): > 10,000 mg/l 96 hour	EC50 Daphnia magna (water flea): 1,919 mg/l 48 hour
Persistence and Degradability	No data available	
Bioaccumulation/accumulation	No data available.	
Partition coefficient	No data available.	
Mobility in environmental media	No data available.	
Chemical fate information	No data available.	
Other adverse effects	No data available.	

13. Disposal Considerations

Disposal instructions	Dispose in accordance with local, state, and federal regulations
Wastes from residues/unused Product	Containerize. Rinse area with water. Keep out of storm sewer/waterways.
Contaminated packaging	Dispose in accordance with all applicable regulations.

14. Transport Information

Basic shipping requirements:	Not DOT regulated
Proper shipping name	
Hazard class	
UN number	
Packing group	
Special provisions	

15. Regulatory Information

U.S federal regulations	This product has been classified in accordance with the Occupational Safety and Health Administration hazard criteria and the SDS contains all of the information required by OSHA HCS 2012.	
TSCA	All ingredients are listed on the Toxic Substances Control Act or are exempt from listing.	
CERCLA Super Fund 40CFR117.302	Product contains a material with a Reportable Quantity (RQ): None	
SARA Title III Section 311&312	Immediate (Acute) Health Hazard Alcohols, C9-C11, ethoxylated CAS# 68439-46-3 Propylene glycol n butyl ether CAS#5131-66-9 Diethylene glycol n butyl ether CAS#112-34-5	
SARA Title III Section 313	Ingredients subject to the reporting requirements of Section 313: Diethylene glycol n butyl ether CAS# 112-34-5	
California Proposition 65	This product does not contain intentional ingredients known to the State of California to cause cancer, birth defects or reproductive effects. However trace amounts of Ethylene oxide (CAS#71-25-8) and Propylene oxide (CAS#75-56-9) may be present and are listed as possible carcinogens in the state of California.	
States Right to Know	Reportable Chemicals: Dipropylene glycol monomethyl ether CAS#34590-94-8	
Inventory Status		
Countries	Inventory Name	On Inventory (Yes/No)*
U.S.	Chemical Inventory List	Yes
Canada	Domestic substances list	Yes
<ul style="list-style-type: none"> • A öYesö indicates that all of the components of this product comply with the inventory requirements administered by the governing country(s) listed. 		

16. Other Information

HMIS RATING

HMIS LEGEND

Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	

Health	1
Flammability	0
Reactivity	0
Personal Protection	B

Disclaimer

To the best of our knowledge, the information included herein is accurate. However, neither the above named supplier nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Issue date

May 10, 2015

Supersedes date

Previous issues.

Reason for update

Conform to GHS OSHA HCS 2012.

Expiration date

May 10, 2018